





**High quality personal floor scale with BMI function –
with approval for professional medical use in medical
diagnostics, verification optional**



KERN MPE-HM



KERN MPE-PM





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745
- **1** Practical second display on the back of the scale, which makes it easy for both the patient and the medical staff to read the weight
- **2** The MPE-HM model has an elegant height rod integrated into the column, which can be pulled out for use and has a sturdy plastic head rest and a measuring range from 90 – 205 cm
- Robust design with ergonomically optimised shape
- Secure and non-slip positioning with height-adjustable rubber feet
- Level indicator to level the balance precisely
- Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- Hold function: While weighing patients that are unable to stand still, a mean average weight value is determined
- Mother and child function: the parent's weight is measured, and the scale is reset to zero via the button. Subsequently, the parent and baby are weighed together. The weight of the child will then show on the display
- BMI function to determine underweight/normal weight/surplus weight
- High resolution readability: readability [d] can be increased by one decimal place for 5 sec. by the touch of a key
- Data interface RS-232 as standard

- **3** Easy to transport thanks to the two integrated transport wheels
- Battery- or mains-powered, rechargeable battery operation optional
- Protective working cover included with delivery
- KERN MPE-E: Identical in construction to the KERN MPE. Supplied without mains adapter, but with batteries, which makes the price attractive

Technical data

- Large backlit LCD display, digit height 25 mm
- Weighing platform dimensions W×D×H 365×360×80 mm
- Overall dimensions W×D×H KERN MPE-PM: 365×570×1030 mm KERN MPE-HM: 365×570×2134 mm, with extracted height rod
- Net weight approx. 12 kg

KERN MPE

- Battery operation possible, 6×1.5 V AA not included, operating time up to 20 h
- Mains adapter external, standard


KERN MPE-E

- Batteries included, 6×1.5 V AA, operating time up to 20 h


Accessories

- Protective working cover over the display device, scope of delivery: 5 items, KERN MPE-A01S05, **€ 44,-**
- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, **€ 55,-**
- Internal rechargeable battery pack, operating time up to 40 h without backlight, charging time approx. 12 h, KERN MBC-A08, **€ 50,-**
- External mains adapter, 100 V - 240 V, Standard EU, CH, UK, US, AUS, KERN YKA-43, **€ 95,-**
- External mains adapter, 100 V - 240 V, Standard EU, KERN YKA-44, **€ 49,-**
- Interface cable RS-232 to connect an external device, KERN CFS-A01, **€ 50,-**
- Matrix needle printer, KERN YKN-01, **€ 310,-**
- Thermal printer, KERN YKH-01, **€ 420,-**
- For further details, plenty of further accessories and suitable printers, see *Internet*

STANDARD



OPTION



FACTORY



Model	Weighing capacity	Readability	Verification value	Price excl. of VAT ex works €	Mandatory by law Verification	
	[Max] kg	[d] kg	[e] kg		KERN	€
KERN						
MPE 200K-1PEM	250	0,1	0,1	560,-	965-129	69,-
MPE 250K100PM	250	0,1	0,1	610,-	965-129	69,-
MPE 200K-1HEM	250	0,1	0,1	610,-	965-129	69,-
MPE 250K100HM	250	0,1	0,1	660,-	965-129	69,-

*Within the EU, official verification (conformity assessment in accordance with NAWI 2014/31/EU) is mandatory by law for scales that are intended for use as a medical device. Please order this where you state the location of installation and postcode.



Stylish personal floor scale with BMI function – with approval for professional medical use in medical diagnostics, verification optional



KERN MPS-PM



KERN MPS-M





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745
- Thanks to its compact dimensions and the good price/performance ratio, this range is ideally suited for use in treatment rooms in doctor's surgeries and hospitals
- Ergonomic display device with large numerical keypad and high-contrast LCD display for easy entry and reading of patient data
- Sturdy steel weighing plate with a non-slip and wear-resistant surface
- Easy and hygienic cleaning
- **1** Secure and non-slip positioning with height-adjustable rubber feet
- **1** Level indicator to level the balance precisely
- Hold function: While weighing patients that are unable to stand still, a mean average weight value is determined
- BMI function to determine underweight/normal weight/surplus weight
- **2** KERN MPS-M: Wall mount for display device, standard
- Battery- or mains-powered, rechargeable battery operation optional
- Protective working cover included with delivery

Technical data

- LCD display, digit height 25 mm
- Weighing platform dimensions W×D×H 275×295×58 mm
- Dimensions of display device W×D×H 216×110×47 mm
- KERN MPS-M: Cable length of display device approx. 1,21 m
- Battery operation possible, 6×1.5 V AA not included, operating time up to 50 h
- Mains adapter external, standard
- Data interface RS-232 as standard

Accessories

- **3** Mechanical height rod, measuring range: 60 cm – 205 cm, can be screwed onto the column from the front or the back (MPS-P) or wall-mounted, approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745, KERN MSF 200, **€ 110,-**
- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, **€ 55,-**
- Internal rechargeable battery pack, operating time up to 35 h without backlight, charging time approx. 14 h, KERN FOB-A08, **€ 70,-**
- Interface cable RS-232 to connect an external device, KERN MPS-A08, **€ 50,-**
- Matrix needle printer, KERN YKN-01, **€ 310,-**
- Thermal printer, KERN YKH-01, **€ 420,-**
- For further details, plenty of further accessories and suitable printers, see *Internet*

*Within the EU, official verification (conformity assessment in accordance with NAWI 2014/31/EU) is mandatory by law for scales that are intended for use as a medical device. Please order this where you state the location of installation and postcode.

STANDARD	OPTION	FACTORY
RS 232 MOVE BATT MULTI 1 DAY	ACCU	M +3 DAYS
CE 0297		

Model	Weighing capacity	Readability	Verification value	Overall dimensions	Net weight approx.	Price excl. of VAT ex works €	Mandatory by law Verification
	[Max] kg	[d] kg	[e] kg	W×D×H mm	kg		KERN €
KERN							
MPS 200K100M	200	0,1	0,1	275×295×58	4,2	470,-	965-129 69,-
MPS 200K100PM	200	0,1	0,1	275×445×1020	7	730,-	965-129 69,-





**Compact personal floor scale – with approval for professional medical use
in medical diagnostics, verification optional**



KERN MPC 250K100M

KERN MPC 300K-1LM





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745
- The bestseller for doctor's surgeries, chemists and hospitals
- Robust design for daily use in a professional environment
- Easy and hygienic cleaning
- Secure and non-slip positioning with height-adjustable rubber feet
- Level indicator to level the balance precisely
- KERN MPC 300K-1LM: Version with [Max] = 300 kg and larger weighing plate
- 1 Sturdy handle for easy transportation of the scale
- 2 Flexible positioning of display device. Wall mount for display device standard
- 3 Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- High resolution readability: readability [d] can be increased by one decimal place for 5 sec. by the touch of a key
- BMI function to determine underweight/normal weight/surplus weight
- Hold function: While weighing patients that are unable to stand still, a mean average weight value is determined

- Mother and child function: the parent's weight is measured, and the scale is reset to zero via the button. Subsequently, the parent and baby are weighed together. The weight of the child will then show on the display
- GLP/ISO report, printout of weight value, BMI etc. with date and time. FLP/GMP-compliant print form in DE, EN, FR, only in combination with RS-232 interface cable KERN CFS-A01 + MPC-A01 and printer KERN YKB-01N
- Battery- or mains-powered, rechargeable battery operation optional
- Protective working cover included with delivery

Technical data

- Large backlit LCD display, digit height 25 mm
- Dimensions of display device W×D×H 200×130×60 mm
- Cable length of display device approx. 1,8 m
- Battery operation possible, 6×1.5 V AA not included, operating time up to 20 h
- Mains adapter external, standard

Accessories

- Protective working cover over the display device, scope of delivery: 5 items, KERN MBC-A06S05, € 44,-
- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, € 55,-
- Internal rechargeable battery pack, operating time up to 40 h without backlight, charging time approx. 12 h, KERN MBC-A08, € 50,-
- External mains adapter, 100 V - 240 V, Standard EU, CH, UK, US, AUS, KERN YKA-43, € 95,-
- External mains adapter, 100 V - 240 V, Standard EU, KERN YKA-44, € 49,-
- RS-232 data interface, must be ordered at purchase, KERN MPC-A01, € 110,-
- Interface cable RS-232 to connect an external device, KERN CFS-A01, € 50,-

*Within the EU, official verification (conformity assessment in accordance with NAWI 2014/31/EU) is mandatory by law for scales that are intended for use as a medical device. Please order this where you state the location of installation and postcode.

STANDARD

GLP
PRINTER

MOVE

BATT

MULTI

1 DAY

OPTION

ACCU

FACTORY

RS 232

M
+3 DAYS

0297

Model	Weighing capacity	Readability	Verification value	Weighing plate	Net weight approx.	Price excl. of VAT ex works €	Mandatory by law Verification	
	[Max] kg	[d] kg	[e] kg	W×D×H mm	kg		KERN	€
KERN								
MPC 250K100M	250	0,1	0,1	365×370×80	9	410,-	965-129	69,-
MPC 300K-1LM	300	0,1	0,1	500×455×120	11	690,-	965-129	69,-



**Professional step-on personal floor scale approved as a medical device,
verification optional**





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745
- 1 Easy to use with no waste of time – simply tap on it, stand on it, read the weight
- Robust design for daily use in a professional environment
- Ergonomically optimised design
- Easy and hygienic cleaning
- Secure and non-slip positioning with height-adjustable rubber feet
- Level indicator to level the balance precisely
- 2 KERN MPD 200K-1EM: Identically to MPD though without backlight and mains adapter, battery operation only, due to the reduced resolution higher display performance. Especially attractive in price
- 3 Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- KERN MPD: Battery- or mains-powered, rechargeable battery operation optional
- Protective working cover included with delivery

Technical data

- Weighing platform dimensions W×D×H 365×360×80 mm
- Dimensions of display device W×D×H 200×130×60 mm
- Overall dimensions W×D×H 365×490×120 mm
- Net weight approx. 9 kg

MPD 250K100M

- Large backlit LCD display, digit height 25 mm
- Battery operation possible, 6×1.5 V AA not included, operating time up to 20 h
- Mains adapter external, standard

MPD 200K-1EM

- Large LCD display, digit height 25 mm, without backlight
- Practical battery operation, Batteries included, 6×1.5 V AA, operating time up to 20 h

Accessories

- Protective working cover over the display device, scope of delivery: 5 items, KERN MBC-A06S05, € 44,-
- 4 Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, € 55,-

Only MPD 250K100M:

- Internal rechargeable battery pack, operating time up to 40 h without backlight, charging time approx. 12 h, KERN MBC-A08, € 50,-
- External mains adapter, 100 V - 240 V, Standard EU, CH, UK, US, AUS, KERN YKA-43, € 95,-
- External mains adapter, 100 V - 240 V, Standard EU, KERN YKA-44, € 49,-

*Within the EU, official verification (conformity assessment in accordance with NAWI 2014/31/EU) is mandatory by law for scales that are intended for use as a medical device. Please order this where you state the location of installation and postcode.

STANDARD

BATT

MULTI

1 DAY

MPD

OPTION

ACCU

MPD

FACTORY

M

+3 DAYS

0297

Model	Weighing capacity	Readability	Verification value	Price excl. of VAT ex works €	Mandatory by law Verification	
	[Max] kg	[d] kg	[e] kg		 KERN	€
KERN						
MPD 250K100M	250	0,1	0,1	420,-	965-129	69,-
MPD 200K-1EM	250	0,2	0,2	380,-	965-129	69,-



Integratable personal scale for wireless transfer of weighing data to EMR or EHR systems



KERN MPN-H



KERN MPN-P





[[1]]



[[2]]



[[3]]



[[4]]



[[5]]

Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745 and SFDA
- Thanks to the integrated WiFi interface, this model is suited for wireless transfer of weights directly into the digital patient records. By doing this, any documentation or transfer errors which occur during manual data transfer are eliminated. Thanks to this technology, this model can be integrated into existing or future EMR and EHR systems
- KERN Universal Port (KUP): permits the connection of an external KUP interface adapter, such as, for example, RS-232, USB, Bluetooth, WiFi or Ethernet, for the exchange of data and control commands, without any installation outlay
- **1** Practical second display on the back of the scale, which makes it easy for both the patient and the medical staff to read the weight
- **2** The MPN-H model has an elegant height rod integrated into the column, which can be pulled out for use and has a sturdy plastic head rest and a measuring range from 89 - 205 cm.
- **3** Patients with a height below 80 cm can be measured using the measuring scale fitted on the column

- Robust design with ergonomically optimised shape
- Secure and non-slip positioning with height-adjustable rubber feet
- Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- Hold function: While weighing patients that are unable to stand still, a mean average weight value is determined
- Mother and child function: the parent's weight is measured, and the scale is reset to zero via the button. Subsequently, the parent and baby are weighed together. The weight of the child will then show on the display
- BMI function to determine underweight/normal weight/surplus weight
- High resolution readability: readability [d] can be increased by one decimal place for 5 sec. by the touch of a key
- **4** Battery- or mains-powered, rechargeable battery operation optional
- **5** Easy to transport thanks to the two integrated transport wheels

Technical data

- Large LCD display, digit height 25 mm
- Weighing platform dimensions W×D×H 365×360×80 mm

- Battery operation possible, 6×1.5 V AA not included, operating time up to 20 h
- Mains adapter external, standard
- Net weight approx. 11 kg

Accessories


- Internal rechargeable battery pack, operating time up to 48 h without backlight, charging time approx. 8 h, KERN YMR-01, **€ 55,-**
- External mains adapter, 100 V - 240 V, Standard EU, UK, KERN YKA-51, **€ 80,-**
- RS-232 interface adapter, KERN KUP-01, **€ 60,-**
- USB interface adapter, KERN KUP-03, **€ 75,-**
- Ethernet interface adapter, KERN KUP-04, **€ 115,-**
- Bluetooth interface adapter, KERN KUP-06, **€ 99,-**
- Extension box for connecting up to three interfaces in parallel, KERN KUP-13, **€ 75,-**
- Memory module with real time clock (alibi memory), KERN YMM-03, **€ 178,-**

*Within the EU, official verification (conformity assessment in accordance with NAWI 2014/31/EU) is mandatory by law for scales that are intended for use as a medical device. Please order this where you state the location of installation and postcode.

STANDARD



OPTION



FACTORY



Model	Weighing capacity	Readability	Verification value	Overall dimensions (with extracted height rod) W×D×H mm	Price excl. of VAT ex works €	Mandatory by law Verification KERN	€
	[Max] kg	[d] kg	[e] kg				
KERN							
MPN 200K-1PM	250	0,1	0,1	365×570×1030	810,-	965-129	69,-
MPN 200K-1HM	250	0,1	0,1	365×570×2134	860,-	965-129	69,-



Professional integratable personal scales for wireless transfer of weighing data to the EMR or EHR systems – also for overweight patients in the obese category



KERN MPN-M



KERN MPN-LM





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745 and SFDA
- Thanks to the integrated WiFi interface, this model is suited for wireless transfer of weights directly into the digital patient records. By doing this, any documentation or transfer errors which occur during manual data transfer are eliminated. Thanks to this technology, this model can be integrated into existing or future EMR and EHR systems
- KERN Universal Port (KUP): permits the connection of an external KUP interface adapter, such as, for example, RS-232, USB, Bluetooth, WiFi or Ethernet, for the exchange of data and control commands, without any installation outlay
- KERN MPN 300K-1LM: Version with [Max] = 300 kg and larger weighing plate
- Ideally suited for hospitals, clinics and doctors' surgeries
- Robust design for daily use in a professional environment

- Easy and hygienic cleaning
- Secure and non-slip positioning with height-adjustable rubber feet
- 1 Level indicator to level the balance precisely
- KERN MPN 300K-1LM: Sturdy handle for easy transportation of the scale
- 2 Flexible positioning of display device. Wall mount for display device standard
- Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- Hold function: While weighing patients that are unable to stand still, a mean average weight value is determined
- Mother and child function: the parent's weight is measured, and the scale is reset to zero via the button. Subsequently, the parent and baby are weighed together. The weight of the child will then show on the display
- BMI function to determine underweight/normal weight/surplus weight
- High resolution readability: readability [d] can be increased by one decimal place for 5 sec. by the touch of a key
- Battery- or mains-powered, rechargeable battery operation optional

Technical data

- Large LCD display, digit height 25 mm
- Dimensions of display device W×D×H 210×54×100 mm
- Cable length of display device approx. 1,8 m
- Battery operation possible, 6×1.5 V AA not included, operating time up to 20 h
- Mains adapter external, standard

Accessories


- Internal rechargeable battery pack, operating time up to 48 h without backlight, charging time approx. 8 h, KERN YMR-01, **€ 55,-**
- External mains adapter, 100 V - 240 V, Standard EU, UK, KERN YKA-51, **€ 80,-**
- RS-232 interface adapter, KERN KUP-01, **€ 60,-**
- USB interface adapter, KERN KUP-03, **€ 75,-**
- Ethernet interface adapter, KERN KUP-04, **€ 115,-**
- Bluetooth interface adapter, KERN KUP-06, **€ 99,-**
- Extension box for connecting up to three interfaces in parallel, KERN KUP-13, **€ 75,-**
- Memory module with real time clock (alibi memory), KERN YMM-03, **€ 178,-**

*Within the EU, official verification (conformity assessment in accordance with NAWI 2014/31/EU) is mandatory by law for scales that are intended for use as a medical device. Please order this where you state the location of installation and postcode.

STANDARD




OPTION



FACTORY



Model	Weighing capacity [Max] kg	Readability [d] kg	Verification value [e] kg	Weighing plate W×D×H mm	Net weight approx. kg	Price excl. of VAT ex works €	Mandatory by law Verification KERN	€
KERN								
MPN 200K-1M	250	0,1	0,1	365×370×80	9	650,-	965-129	69,-
MPN 300K-1LM	300	0,1	0,1	400×500×120	12	820,-	965-129	69,-



Personal floor scale with BMI function

Features

- Sturdy steel weighing plate with a non-slip and wear-resistant surface
- Easy and hygienic cleaning
- Secure and non-slip positioning with rubber feet
- Hold function: While weighing patients that are unable to stand still, a mean average weight value is determined
- Simple and convenient 4-key operation
- BMI function to determine underweight/normal weight/surplus weight
- Wall mount for the display device, as standard, only for models without a stand
- Battery- or mains-powered
- Protective working cover included with delivery

Technical data

- LCD display, digit height 25 mm
- Dimensions of display device W×D×H 210×110×50 mm
- KERN MPB: Cable length of display device approx. 1,2 m
- Overall dimensions W×D×H
KERN MPB: 315×300×60 mm
KERN MPB-P: 315×450×1000 mm (incl. stand)
- Battery operation possible, 6×1.5 V AA not included, operating time up to 170 h
- Mains adapter external, standard

Accessories

- **1** Mechanical height rod, measuring range: 60 cm – 205 cm, can be screwed onto the column from the front or the back (MPB-P) or wall-mounted, approved as a medical device according to 93/42/EEC or regulation (EU) 2017/745, KERN MSF 200, **€ 110,-**
- Stand to elevate display device, height of stand approx. 950 mm, KERN MWS-A01, **€ 235,-**
- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, **€ 55,-**

STANDARD

MOVE

BATT

MULTI

1 DAY

Model	Weighing range	Readout	Weighing plate	Net weight approx.	Price excl. of VAT ex works €
	[Max] kg	[d] kg	W×D×H mm	kg	
KERN					
MPB 300K100	300	0,1	315×300×60	4,6	230,-
MPB 300K100P	300	0,1	315×300×55	7	425,-




Personal scale with column for convenient, ergonomically-optimised operation



KERN MPK

KERN MPL





[[1]]



[[2]]



[[3]]

Features

- This personal scale is the ideal measuring instrument for elderly care, paramedics, fitness clubs or in the private sector and can weigh overweight people up to 250 kg
- KERN MPL: BMI function to determine underweight/normal weight/surplus weight
- KERN MPL: Tare function to zero the balance
- Weight displayed in kg or lb
- 1 Particularly flat design facilitates access
- Sturdy glass weighing plate for secure, comfortable standing position
- Easy and hygienic cleaning
- 2 Large display that is easy to read
- 2 The column, which is firmly fixed to the scale, makes it easy to operate the scale as well as to read the weighing results even under poor lighting conditions
- Easy to operate: simply tap on it – stand on it – read the weight
- Integrated AUTO-OFF function to preserve the batteries
- 3 Delivered in design packaging

Technical data

- Large LCD display, digit height 28 mm
- Weighing platform dimensions W×D×H 350×350×45 mm
- Overall dimensions W×D×H 350×420×955 mm (incl. stand)
- Batteries included, 4×1.5 V AA, operating time up to 100 h
- Net weight approx. 3,8 kg

Accessories

- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, € 55,-

STANDARD

UNIT

BATT

1 DAY

Model	Weighing capacity	Readability	Price excl. of VAT ex works €
	[Max] kg	[d] kg	
KERN			
MPK 200K-1P	250	0,1	210,-
MPL 200K-1P	250	0,1	220,-



Personal scale with particularly large, flat weighing plate to make it easier to step on and give maximum safety

Features

- This personal scale is the ideal measuring instrument for elderly care, paramedics or private sector
- Very large weighing plate
- Easy and hygienic cleaning
- 1 The scale can be easily transported using a handle and does not require much storage space
- 2 Particularly flat design facilitates access
- 3 Very large platform with non-slip and wear-resistant plastic-surface
- Easy to operate: simply tap on it – stand on it – read the weight
- Integrated AUTO-OFF function to preserve the batteries
- Weight displayed in kg or lb
- Large display that is easy to read
- Delivered in single design packaging

Technical data

- Large LCD display, digit height 30 mm
- Overall dimensions W×D×H 434×370×40 mm
- Ready for use: Batteries included, 4×1,5 V AAA, operating time up to 20 h
- Net weight approx. 3,2 kg

Accessories

- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, € 55,-

Note: The model with the suffix -S05 is delivered in a set of 5 units. i.e. the price given in the table refers to 5 items

STANDARD

UNIT

BATT

1 DAY

Model	Weighing capacity	Readability	Quantity delivered (balance)	Price excl. of VAT ex works €
	[Max] kg	[d] kg		
KERN				
MPI 200K-1	200	0,1	1	105,-
MPI 200K-1S05	200	0,1	5	490,-



The robust classic for quick determination of body weight

Features

- Timeless design
- Robust construction
- 1 Large, clear circular scale which is easy to read
- 2 Large tread with anti-slip surface made of plastic
- Secure and non-slip positioning with rubber feet
- Easy to operate: stand – read the weight
- Easy adjustment of the display using the setting wheel
- Delivered in single design packaging

Technical data

- Digit height 8 mm
- Overall dimensions W×D×H 290×425×90 mm
- Net weight approx. 3,2 kg


Accessories

- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, € 55,-

Note: The model with the suffix -S05 is delivered in a set of 5 units. i.e. the price given in the table refers to 5 items



Model	Weighing capacity	Readability	Quantity delivered (balance)	Price excl. of VAT ex works €
	[Max] kg	[d] kg		
KERN				
MGC 100K-1	150	1	1	85,-
MGC 100K-1S05	150	1	5	360,-



Elegant look combined with large, flat glass weighing plate to make it easier to step on and give maximum safety

Features


- Sturdy glass weighing plate
- KERN MGD-L: particularly large weighing plate for secure, comfortable standing position
- Easy and hygienic cleaning
- Particularly flat design facilitates access
- Generous weighing range
- Secure and non-slip positioning with rubber feet
- Easy to operate: simply tap on it – stand on it – read the weight
- Integrated AUTO-OFF function to preserve the batteries
- Weight displayed in kg or lb
- 1 Large display that is easy to read
- 2 Delivered in single design packaging

Technical data

- MGD 100K-1**
- LCD display, digit height 40 mm
 - Dimensions weighing surface W×D 300×300 mm
 - Batteries included, 2×CR2032, operating time up to 100 h
 - Net weight approx. 1,6 kg
- MGD 200K-1L**
- LCD display, digit height 50 mm
 - Dimensions weighing surface W×D 380×330 mm
 - Batteries included, 3×1,5V AAA, operating time up to 100 h
 - Net weight approx. 1,6 kg

Accessories

- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, € 55,-



Note: The model with the suffix -S05 is delivered in a set of 5 units. i.e. the price given in the table refers to 5 items

Model	Weighing capacity	Readability	Quantity delivered (balance)	Price excl. of VAT ex works €
	[Max] kg	[d] kg		
KERN				
MGD 100K-1	180	0,1	1	45,-
MGD 100K-1S05	180	0,1	5	130,-
MGD 200K-1L	250	0,1	1	55,-
MGD 200K-1LS05	250	0,1	5	190,-



Design body analysis scale to determine body weight, body fat, body fluid, muscle mass, proportion of bone, BMI and metabolic rate/metabolic rate when exercising

Features

- Used to determine body fat, body water, muscle mass with an accuracy of 0.1 % as well as the body weight and bone mass in 0.1 kg increments
- Display showing the calorie requirements for maintaining the current body weight depending on the level of activity and sex
- Sturdy glass weighing plate with four large contact surfaces for maximum precision
- Easy and hygienic cleaning
- Particularly flat design facilitates access
- Secure and non-slip positioning with rubber feet

- Easy to operate: simply tap on it – stand on it – read the weight
- Memory for up to 10 people (gender, age, height, level of activity)
- Integrated AUTO-OFF function to preserve the batteries
- Weight displayed in kg or lb
- **1** Large high-contrasted display that is easy to read
- **2** Delivered in single design packaging

Technical data

- LCD display, digit height 35 mm
- Overall dimensions W×D×H 300×300×25 mm
- Batteries included, 2×CR2032, operating time up to 100 h
- Net weight approx. 1,8 kg

Accessories

- Alcohol-free cleaning cloths for disinfectant wiping, quick acting, based on modern quaternary ammonium compounds and effective against papova viruses. Particularly gentle on materials. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 100 pcs., KERN MYC-01, **€ 55,-**

STANDARD



Model	Weighing capacity	Readability	Quantity delivered (balance)	Price excl. of VAT ex works €
	[Max] kg	[d] kg		
KERN				
MFB 150K100	182	0,1	1	55,-
MFB 150K100S05	182	0,1	5	190,-

Note: The model with the suffix -S05 is delivered in a set of 5 units. i.e. the price given in the table refers to 5 items